



Envirosafe Services Only																			
Application #		<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																	
WPQ		<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																	

Mailing Address:  
P.O. Box 417  
Boise, Idaho 83701-0417  
(208) 384-1500

## ENVIROSAFE SERVICES OF IDAHO, INC.

U.S. EPA ID. Number IDD073114654

Facility Address  
10 1/2 Miles NW Grandview  
Missile Base Road  
Grandview, Idaho 83624

# PCB

POLYCHLORINATED BYPHENYLS

## GENERATOR'S WASTE PRODUCT QUESTIONNAIRE

### INSTRUCTIONS FOR COMPLETION

1. Detailed instructions for completion of the Generator's Waste Product Questionnaire may be found on the reverse side of this cover page.
2. The Waste Product Questionnaire must be typewritten or legibly printed in black ink and fully completed for a waste stream to be considered for disposal.
3. Use a separate Waste Product Questionnaire for each category in Section B (1 through 12).
4. Make a photocopy of the questionnaire for your records, and return the completed intact form to the address listed above.
5. This form is for Polychlorinated Byphenyls (PCB) with concentrations greater than 49 parts per million. If the concentration of your waste stream is less than 50 parts per million you must use the RCRA Waste Product Questionnaire. If the waste stream is above 50 ppm and contaminated with a RCRA regulated waste, then a RCRA Waste Product Questionnaire must be completed and sent with the corresponding PCB Waste Product Questionnaire.
6. A PCB control sheet must be sent with the manifest on each shipment of PCB waste to ESII.
7. **PCB WASTE PRODUCT QUESTIONNAIRES MUST BE UPDATED ON AN ANNUAL BASIS.**

ESII 105

SCL 04161

CTY0049167

SEA289646

## INSTRUCTIONS FOR ESI, INC. PCB WASTE PRODUCT QUESTIONNAIRE

### A. GENERATOR INFORMATION

**GENERATOR NAME:** Name of company generating waste.

**FACILITY ADDRESS:** Address of facility generating waste.

**TECHNICAL CONTACT:** Name, title and phone number of person who should be contacted to answer questions on the waste.

**BILLING ADDRESS/BROKERAGE COMPANY:** Name, title and phone number of person who should be contacted to answer questions regarding billing, purchase orders, contract, etc. Include name and phone number of brokerage company.

**GENERATOR U.S. EPA ID:** 12 digit U.S. EPA Generator Identification Number. This is not required for PCB's, however, if one has been assigned, please use it.

### B. WASTE STREAM — USE SEPARATE QUESTIONNAIRE FOR EACH CATEGORY IN SECTIONS 1-12

**NOTE: ANY LIQUIDS BELOW 500 PPM MUST HAVE A LAB ANALYSIS OF MATERIAL PRIOR TO ANY TREATMENT.**

Use separate WPQ for each category (1. thru 12.) in Section B. Check the box to the left of the category you wish to ship. **ONLY ONE BOX PER WPQ CAN BE CHECKED.**

**1. & 2. Transformers:** If you will be sending transformers which contain oils above and below 500 ppm, then 2 separate WPQ's must be completed. Each box must be completed within the category for those materials you intend to ship over the one year life of the WPQ. For example, if full and drained transformers below 500 ppm will be sent to ESII, then both boxes in Section B. 1. must be checked.

**3. thru 6. Liquids Above and Below 500 ppm:** Check the category which applies to materials you will be sending. If the flushate material has a flash point below 200F, you should submit a laboratory test on that material. All liquid below 500 ppm should have a laboratory analysis sent in with the WPQ and also with the shipping papers as required.

**7. & 8. Capacitors:** Large capacitors must be sent either for incineration or chemical breakdown, whereas small capacitors can be landfilled. It is imperative that large & small capacitors be separated. If you prefer that all capacitors be incinerated, please

indicate so on the WPQ. Separate WPQ's must be completed for capacitors to be incinerated versus landfilled.

**9. PCB Solids:** PCB Solids are those materials which have no free flowing liquids in or around them upon receipt at the disposal facility. Please check as many boxes in this category as you will need for the different types of debris. Detail as to exact type shipped must be provided with each shipment on a PCB Control Sheet.

**10. PCB Lab Pack:** All PCB Lab Packs which contain bottles, sample jars, vials or similar containers will be sent for incineration. We need a complete listing of all materials which have been packed in the drum. We recommend that these containers be packed in an absorbent material to eliminate free flowing liquids.

**NO RCRA MATERIAL IS TO BE PACKED WITH PCB MATERIALS UNLESS APPROVED BY ESII.**

**11. & 12. Articles:** Each specific article which contains liquids either below or above 500 ppm must be listed. Please indicate if the unit is a sealed unit or if the unit has a drain plug to evacuate the liquids.

### C. GENERAL INFORMATION

1. Indicate the process generating this waste, i.e., transformer decommission, maintenance work, spill, etc.

2. Provide your present or projected annual volume and the month of shipping.

3. Liquids: If the WPQ is not for liquids, mark no. Viscosity is the flow property, low being like water, high being like syrup. If the liquid is other than oil, give us the % of each constituent.

4. Answer yes or no, whichever is appropriate.

5. Materials which have any RCRA contamination, i.e., heavy metal, solvents, organics, etc., must be identified and a separate RCRA WPQ must be completed also.

6. Answer yes or no, whichever is appropriate.

7. Answer yes or no, or write "To be indicated on control sheet" if this is an ongoing waste stream.

8. Check the appropriate box if this waste stream is a solid material. If this WPQ is for PCB Solids (category 9.) this question must be answered.

9. 10. List either the absorbents or type of stabilization material used depending on your answer to question 8.

11. Answer yes or no whichever is appropriate.

12. Answer yes, no, or note applicable, whichever is appropriate.

### SHIPPING AND HANDLING INFORMATION:

1. **D.O.T. HAZARDOUS MATERIAL:** Indicate if waste is a hazardous material as defined by the U.S. Department of Transportation. If yes, indicate: item 2. **Proper D.O.T. Shipping Name**, item 3. **D.O.T. Hazard Class** and item 4. **D.O.T. Identification Number**.

5. **D.O.T. RQ REQUIRED:** Check the appropriate box if there is a reportable quantity.

6. **D.O.T. SHIPPING CONTAINER:** Indicate type and specification of drum or tank vehicle to be used to containerize the waste in transit. Refer to CFR 49.

7. **PROJECTED VOLUME:** Indicate anticipated volume and frequency of shipments.

**COMMENTS:** Specify any additional known or suspected health hazards associated with the waste. List all additional information that will assist in the secure handling of the material.

### GENERATOR CERTIFICATION STATEMENT

**CERTIFICATION OF LIQUIDS TREATMENT:** Check the appropriate item on whether the waste will be shipped in drums, bulk, or not applicable (if not applicable ship part B). If the waste will be shipped in bulk on part B check either 1. (the material was generated as a solid or the certification statements 1-4. **IF THE WASTE WAS GENERATED IN BULK THIS SECTION MUST BE COMPLETED.** The WPQ must be signed and dated by an employee of the generator's company who is knowledgeable and responsible for the waste product. **THIS QUESTIONNAIRE MAY BE USED FOR MULTIPLE SHIPMENTS — HOWEVER A PCB CONTROL SHEET MUST ACCOMPANY EACH LOAD RECEIVED AT OUR SITE.**

**IMPORTANT NOTICE:** Upon your completion of the Generators Waste Product Questionnaire, make a copy of the questionnaire for your records and return the intact form (all four copies) to: EnviroSAFE Service, Inc., P.O. Box 417, Boise, ID 83701.

Upon receipt at ESI, a Waste Product Questionnaire Identification Number will be assigned to the questionnaire and a copy returned to the generator. You will be notified by telephone and in writing as to the review status. Allow 5-10 days for notification.

For Assistance Please Call (208) 384-1500

© June 1987 EnviroSAFE Service, Inc.

SCL 04162

CTY0049168

SEA289647